

=a dfcj]b['h\Y'Uj U] UV]`]mž UWWgg]V]`]mž UbX'ei U]hmicZ dfYj Ybh]cbž hfYUha Ybhž UbX'fYVčj Yfm
gYfj]Wg'Zcf'dUh]Ybhg'k]h'Cl 8]g']bhY[fU'hc'Vča VUh]b['h\Y'cd]c]X'Yd]XYa]W'5WWgg'hc'h\YgY
gYfj]Wg'\Ug'Včbg]ghYbh'miVYYb']bUXYeI UhYž'k \]W'Včbh]bi Yg'hc'dYfdYhI UhY'h\Y'Yd]XYa]WUbX
Wli gY'dfYj YbhUV'Y'dUh]Ybh'a cfV]X]hmiUbX'a cfhU']hmQ&Q'Hc'

RESEARCH, DATA, AND METRICS NEEDS

- Collect more granular data on n

© 2019 American Psychiatric Association. All rights reserved. This document is intended for informational purposes only and does not constitute a medical or legal recommendation. It is not intended to be used as a substitute for professional medical or legal advice. The information contained herein is not intended to be used for the diagnosis, treatment, or prevention of any disease or condition. The information contained herein is not intended to be used for the diagnosis, treatment, or prevention of any disease or condition. The information contained herein is not intended to be used for the diagnosis, treatment, or prevention of any disease or condition.

- Evaluate compliance with and use of care plans when persons with OUD are moving between care settings; [15]
- Implement and evaluate strategies to increase patient engagement and motivation to receive and maintain committed to OUD treatment [15]
- Identify obstacles that exist for hospitals to enable streamlined entry into treatment after rescue [19];
- Assess barriers across the Screening, [15]



- Assess the gap between evidence-based practice and clinical implementation of MOUD [31]

HRy B Uh]cbU`5WXYa mcZ`A YX]WbY g`5W]cb`7c`UVcfUh]j`Y`cb`7ci bhYf]b[`h`Y`I "G" Cd]c]X
9d]XYa]W]g`U`di`V`]Wdf]j UhY`dUf`b`Yfg`d`V`a dcgYX`cZ`a cfY`h`Ub`*`\$`cf[Ub]nUh]cbg
fYdfYgYbh]b[`ZYXYfU`ž`ghUhYž`UbX`cW` [cj Yfba Ybhg`\\YU`h`gn`ghYa g`UggcV]Uh]cbg`UbX`dfcj]XYf
[fci dg`\\YU`h`YXi`W]cb`UbX`UW]YX]h]b[`]bgh]hi`h]cbg`d`Ufa UV]Yg`dUmYfg`/]bXi`grfm`
bc`bdfcZ]hg`/UbX`UW]XYa]U`H`Y`5W]cb`7c`UVcfUh]j`Y`g`V`a a]hYX`hc`XYj`Y`cd]b[ž`V`fUh]b[ž
UbX`X]ggYa]bUh]b[`a`i`h]!`gYV`cf`gc`i`h]cbg`XYg][bYX`hc`fYXi`W`cd]c]X`a]gi`gY`UbX`]a`dfcj`Y
ci`h`V`a`Yg`Zcf`]bX]j]Xi`U`gž`ZUa]`]Ygž`UbX`V`a`a`i`b]h]Yg`UZZYV]YX`Vmih`Y`cd]c]X`W]g]g`H`Y`5W]cb
7c`UVcfUh]j`Y`g`k`cf`_`ZcW`gYg`cb`Zci`f`_`YmUfYUg.`\\YU`h`dfcZYgg]cbU`YXi`W]cb`UbX`hfU]b]b[/
dU]b`a`UbU[Ya`Ybh[i]XY`]bYg`UbX`Yj]XYbW`gh`UbXUfXg`/dfYj`Ybh]cbž`hfYUha`Ybhž`UbX`fYV`ž`Yfm
gYfj]W]g`/UbX`fYgYUfV`ž`XUHž`UbX`a`Yhf]W]g`bYXXg`" @Yufb`a`cfY`UVci`h`h`Y`5W]cb`7c`UVcfUh]j`Y`
Uh`bUa`"YXi`#Cd]c]X`7c`UVcfUh]j`Y`"

H`]g`fYgYUfW`U[YbXUž`XYj`Y`cdYX`cb`VY`U`Z`cZ`h`Y`5W]cb`7c`UVcfUh]j`Yž`VYbYZ]hYX`[fYU`h`m
Zfca`h`Y`[i]XUbW`cZ`h`Y`fYgYUfV`ž`8UHž`UbX`A`Yhf]W]g`BYYXg`K`cf_]b[`;`fci`dž`k`\\cgY`a`Ya`VYfg
]bWi`XY`**Carlos Blanco, MD, PhD**ž`BUh]cbU`=bgh]hi`hY`cb`8fi [`5Vi`gY`/`**Kelly J. Clark, MD, MBA**ž
5a`Yf]W]b`GcW]YhmcZ`5XX]W]cb`A`YX]W]bY`/`**Rebecca Baker, PhD**ž`B`Uh]W]b`U`g`cZ`<YU`h`/
David Beier, JDž`6Um7]hm7Ud]hU`/`**Richard Bonnie, LLB**ž`I`b]j`Yfg]hmcZ`J`f[]b]U`/`**Kathy Chappell,**
PhD, RN, FNAP, FAANž`5a`Yf]W]b`Bi`fgYg`7fYXYbh]U`]b[`7YbhYf`/`**Humayun "Hank" J. Chaudhry,**
DO, MS, MACPž`YXYfUh]cb`cZ`GhUhY`A`YX]W]`6cUfXg`/`**Jianguo Cheng, MD, PhD**ž`5a`Yf]W]b
5WXYa`mcZ`DU]b`A`YX]W]bY`/`**Kyle P. Edmonds, MD, FAAHPM**ž`5a`Yf]W]b`5WXYa`mcZ`<cgd]W
UbX`DU`]Uh]j`Y`A`YX]W]bY`/`**James Gifford, MD, FACP**ž`YXYfUh]cb`cZ`GhUhY`A`YX]W]`6cUfXg`/`**Lisa**
Hines, PharmDž`D`Ufa`UW`i`E`i`U`]m5`]]UbW`/`**Stephan M. Jones, PharmD, MPH**ž`I`G`7YbhYfg
Zcf`8]gYUgY`7cb`hfc`UbX`DfYj`Ybh]cb`/`**Kelly King, PhD, MPH**ž`5a`Yf]W]b`=bgh]hi`hY`g`cZ`fYgYUfV`/
Kevin Larsen, MD, FACPž`C`d`h`ž`@U]Vg`/`**Bertha K. Madras, Ph**ž`A`W`Y`Ub`<cgd]hU`UbX`<Ufj`UfX
A`YX]W]`G`W`cc`/`**Edward Mariano, MD, MS**ž`5a`Yf]W]b`GcW]YhmcZ`5bYgh`Yg]c`c []ghg`/`**Ray**
Mitchell, MD, MBAž`@]U]gcb`7ca`a`]hY`Y`cb`A`YX]W]`9Xi`W]cb`/`**Viricent G. Nelson, MD, MBA**ž
6`i`Y`7fcg`6`i`Y`G`\\Y`X`5ggcV]Uh]cb`/`**Robert "Chuck" Rich, Jr** `h`rt`"Chu`b`merican`Soudemy`o`